

## SATO SAFETY BAND TT LINE – TT WRISTBANDS WITH CLIP FASTENING FOR ADULTS & INFANTS

For stays in hospitals longer than 1 week, extremely comfortable and resistant wristbands!

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Thermal Transfer
Material	Anti-microbial soft and flexible material with Econano® technology Emboss material for proper skin aeration
Closure Type	Antimicrobial Clip Closure with Econano® technology
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil
Certifications	ISO 22196, Latex free, Iron-Iron Oxide free, ISO 10993-5, ISO 10993-10

#### MEDIA CHARACTERISTICS


I-Mark position	Middle
Ribbon	Security Ribbon to make the reading of patient information harder
Packaging specifications	75 pcs per roll, 8 rolls per box (Adult); 125 pcs per roll, 8 rolls per box (Infant) 600 Econano® soft clips (Adult), 1,000 Econano® soft clips (Infant)

#### PHYSICAL CHARACTERISTICS


Band Size (Adult)	293mm x 30mm (Large Type), 293mm x 15mm (Thin Type)
Band Size (Infant)	170mm x 27mm (Large Type), 170mm x 15mm (Thin Type)
Available Color	White, Yellow, Blue, Pink, Green (Adult); White, Pink Rabbit, Blue Star (Infant)

### LAYOUTS

#### Adults



#### Infants/Children





**Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

**Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

**Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

## SATO SAFETY BAND TT LINE – TT WRISTBANDS WITH CLIP FASTENING FOR MOTHERS & BABIES

The All-in-One secure solution for mothers and infants.  
Because your child is your treasure!

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Thermal Transfer
Material	Anti-microbial soft and flexible material with Econano® technology Emboss material for proper skin aeration
Closure Type	Anti-microbial soft clip closure with Econano® technology. Special extra soft clips for babies
Resistance	Water, hot water, soap, hand sanitizer, betadine, ethyl alcohol, cleansing oil
Certifications	ISO 22196, Latex free, Iron-Iron Oxide Free, ISO 10993-5, ISO 10993-10


#### MEDIA CHARACTERISTICS

Sensor	Hole
All-in-One	1 wristband for the mother, 2 wristbands for the babies attached together
Ribbon	Security Ribbon to make the reading of patient information harder
Packaging specifications	75 wb/roll, 8 rolls/box 600 Econano® soft clips for the mother. 1,200 Econano® extra soft clips for babies

#### PHYSICAL CHARACTERISTICS

Band Size (Total)	340mm x 40mm
Band Size (Adult)	274mm x 17mm (Print area 105mm x 15mm)
Band Size (Infant)	160mm x 11mm (Print area 55mm x 9mm)
Available Color	White - Pink - Yellow

## LAYOUT



### **Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

### **Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

### **Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

## SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH ADHESIVE FASTENING FOR ADULTS

For stays in hospitals up to 1 week, soft and resistant  
wristbands!

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene soft material
Closure Type	Adhesive closure with tamper evidence system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free


#### MEDIA CHARACTERISTICS

I-Mark position	Middle
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging specifications	100 wb/roll, 16 rolls per box

#### PHYSICAL CHARACTERISTICS

Band Size	292.1mm x 29mm
Print Area	125mm x 29mm
Available Color	White

### LAYOUT



**Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

**Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

**Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

## SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH CLIP FASTENING FOR ADULTS & INFANTS

For stays in hospitals up to 1 week, soft and resistant  
wristbands!

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Anti-microbial synthetic polypropylene soft material
Closure Type	Clip Closure with anti-microbial Econano® soft clips
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), ISO 22196 (Anti-microbial), Latex free, Phthalates free

#### MEDIA CHARACTERISTICS


I-Mark position	Middle
Outer Diameter	Less than 110mm
Internal Core Diameter	40mm
Packaging specifications (Adult)	100 wb/roll, 6 rolls per box, 2 bags of 300 anti-microbial Econano® soft clips
Packaging specifications (Infant)	125 wb/roll, 8 rolls per box, 1,000 anti-microbial Econano® soft clips

#### PHYSICAL CHARACTERISTICS


Band Size (Adult)	295mm x 29mm (Print area 112mm x 29mm)
Band Size (Infant)	170mm x 15mm (Print area 79mm x 15mm)
Available Color	White

### LAYOUTS

#### Adults



## Infants/Children



### **Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

### **Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

### **Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.



## SATO SAFETY BAND DT LINE – DT WRISTBANDS WITH CLIP & ADHESIVE FASTENING FOR INFANTS

For stays in hospitals up to 1 week, soft and resistant  
wristbands!

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Anti-microbial synthetic material, extra soft material for the clip closure model
Closure Type	Clip Closure (included) or adhesive closure with tamper evidence system
Resistance	Water, hot water, soap, hand sanitizer, solvents
Certifications	ISO 10993-5 (Cytotoxicity), Anti-microbial, Latex free, Phthalates free

#### MEDIA CHARACTERISTICS


I-Mark position	Middle
Packaging specifications	100 wb/roll, 2 rolls/box (200 secure clips included with the Clip Closure model)

#### PHYSICAL CHARACTERISTICS


Band Size Infant Clip	185mm x 19mm
Band Size Infant Adhesive	200mm x 19mm
Available Color	White, Red

### LAYOUTS

#### Clip



#### Adhesive



**Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

**Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

**Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

## SATO SAFETY BAND ECO LINE – DT WRISTBANDS WITH ADHESIVE FASTENING FOR ADULTS & INFANTS

**For short stays in hospitals – reliable wristbands!**

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Synthetic polypropylene material
Closure Type	Adhesive closure with tamper evidence system
Resistance	Water, hot water, soap
Certifications	ISO 10993-5 (Cytotoxicity), Latex free, Phthalates free, RoHS, REACH SVHC 144

#### MEDIA CHARACTERISTICS


I-Mark position	Near edge
Internal Core Diameter	40mm
Packaging specifications	Adult: 150 wb/roll, 8 rolls per box Child: 100 wb/roll, 15 rolls per box

#### PHYSICAL CHARACTERISTICS


Band Size (Adult)	292.1mm x 29mm
Band Size (Child)	200mm x 19mm
Available Color	White

### LAYOUTS

#### Adults



## Infants/Children



### **Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

### **Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

### **Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

## SATO SAFETY BAND ECO LINE – DT WRISTBANDS WITH CLIP FASTENING FOR ADULTS

**For short stays in hospitals – reliable wristbands!**

### SPECIFICATIONS

#### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Synthetic hypoallergenic material
Closure Type	Clip closure (clips not included)
Resistance	Water, hot water, soap, solvents
Certifications	Latex free


#### MEDIA CHARACTERISTICS

I-Mark position	Middle
Packaging specifications	100 wb/roll, 5 rolls/box

#### PHYSICAL CHARACTERISTICS

Band Size (Adult)	294mm x 29mm
Available Color	White

### LAYOUT



**Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

**Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

**Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.

# SATO SAFETY BAND LASER LINE – ADHESIVE LABELS WITH WRISTBAND

Economical and durable laser sheets for short stay and Outpatients

## SPECIFICATIONS

### PRODUCT CHARACTERISTICS

Printing Method	Laser, Ink-jet
Material	Soft, comfortable and durable material
Closure Type	Adhesive closure with tamper evidence system
Resistance	Water, hot water, soap
Certifications	Latex free
Other	Use not recommended with magnetic resonance imaging (MRI) devices

### MEDIA CHARACTERISTICS


Packaging specifications	250 sheets/pack
Layout specifications	16 self-adhesive labels per sheet, 1 (adult & child) or 2 wristbands (infant) per sheet

### PHYSICAL CHARACTERISTICS


Adult Sheet Dimensions	Wristband dimensions: 282mm x 27mm. Labels dimensions: 66.65mm x 29.75mm
Child Sheet Dimensions	Wristband dimensions: 216mm x 26mm. Labels dimensions: 66.65mm x 29.75mm
Infant Sheet Dimensions	Wristband dimensions: 146mm x 12mm. Labels dimensions: 66.65mm x 29.75mm
Available Color	White

## LAYOUTS

### Adult




## Child



Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500

## Infant



Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500
Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500	Name: Jim Steve DOB: 20/12/1980 Patient ID: SYN4500

### Copyrights

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

### Limitation of Liability

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

### Trademarks

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.



# SATO SAFETY BAND RFID LINE – DT RFID WRISTBANDS WITH ADHESIVE FASTENING FOR ADULTS & INFANTS

Highly customisable and affordable RFID wristbands

## SPECIFICATIONS

### PRODUCT CHARACTERISTICS

Printing Method	Direct Thermal
Material	Synthetic soft material
Closure Type	Adhesive closure with tamper evidence system
Resistance	Water, hot water, soap, solvents
Certifications	Anti-microbial, Latex free

### MEDIA CHARACTERISTICS

I-Mark position	Near edge (can be customized)
IC Type	ISO 14443A, 15693, 18000-6C (details on-demand)
Packaging specifications	125 wb/roll

### PHYSICAL CHARACTERISTICS

Band Size (Adult)	305mm x 30mm
Band Size (Child)	254mm x 30mm
Available Color	White

## LAYOUT

### Adult & Infant



**Copyrights**

The contents of this document are proprietary information of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries. No part of this document may be reproduced, copied, translated or incorporated in any other material in any form or by any means, whether manual, graphic, electronic, mechanical or otherwise, without the prior written consent of SATO Corporation.

**Limitation of Liability**

SATO Corporation and/or its subsidiaries in Japan, the U.S. and other countries, makes no representations or warranties of any kind regarding this material, including, but not limited to, implied warranties of merchantability and fitness for a particular purpose. SATO Corporation shall not be held responsible for errors contained herein or any omissions from the materials or for any damages, whether direct, indirect, incidental or consequential, in connection with the furnishing, distribution, performance, or use of this material.

SATO Corporation reserves the right to change or improve this product and document without notice.

**Trademarks**

SATO is a registered trademark of SATO Corporation and/or its subsidiaries in Japan, the U.S and other countries.

© Copyright 2017 SATO Corporation. All rights reserved.